

DATABASE THEORY

Lecture 18: The Chase

Markus Krötzsch

Knowledge-Based Systems

TU Dresden, 21st June 2022

More recent versions of this slide deck might be available.
For the most current version of this course, see
https://iccl.inf.tu-dresden.de/web/Database_Theory/en

Review

Definition 18.7: A **dependency** is a formula of the form

$$\forall \vec{x}, \vec{y}. \varphi[\vec{x}, \vec{y}] \rightarrow \exists \vec{z}. \psi[\vec{x}, \vec{z}],$$

where $\vec{x}, \vec{y}, \vec{z}$ are disjoint lists of variables, and φ (the **body**) and ψ (the **head**) are conjunctions of atoms using variables $\vec{x} \cup \vec{y}$ and $\vec{x} \cup \vec{z}$, respectively. We allow equality atoms $s \approx t$ to occur in dependencies. The variables \vec{x} , which occur in body and head, are known as **frontier**.

- **Tuple-generating dependencies** (tgds) are not using equality (in the head)
(Special case: inclusion dependencies)
- **Equality-generating dependencies** (egds) have single head atoms with the equality predicate
(Special case: functional dependencies, esp. keys)
- **Full dependencies** have no \exists (quite similar to Datalog)

Many reasoning tasks on tgds can be reduced to query answering under tgd constraints, but this problem is undecidable in general.

The Chase

Review: Evaluating Datalog

We recall the semi-naive bottom-up evaluation of Datalog in alternative notation:

- We compute sets of facts Δ^i for each step $i = 0, 1, 2, \dots$
- Let $\Delta^{[i,j]} = \bigcup_{k=i}^j \Delta^k$
- A substitution θ is a **match** of a CQ φ over a set of facts Δ if $\varphi\theta \subseteq \Delta$

We can describe semi-naive evaluation as follows:

function chase(Σ, \mathcal{I})

01 $i = 0 \quad \Delta^0 = \mathcal{I}$

02 **repeat** :

03 applyRules(Σ, Δ, i)

04 **until** $\Delta^i = \emptyset$

05 **return** $\Delta^{[0,i]}$

function applyRules(Σ, Δ, i)

01 $\Delta^{i+1} = \emptyset$

02 **foreach** $(\varphi \rightarrow \psi) \in \Sigma$:

03 **foreach** match θ of φ over $\Delta^{[0,i]}$ with $\varphi\theta \cap \Delta^i \neq \emptyset$:

04 $\Delta^{i+1} = (\Delta^{i+1} \cup \psi\theta) \setminus \Delta^{[0,i]}$

05 $i = i + 1$

Then chase(Σ, \mathcal{I}) for a set of full tgds Σ corresponds to the least model of Datalog.
(Essentially this chase is simply an alternative version of the T_P operator)

Chasing tgds

Can we perform a bottom-up computation for non-full tgds?

New feature: existential quantifiers in rule heads \rightsquigarrow create new domain elements

Chasing tgds

Can we perform a bottom-up computation for non-full tgds?

New feature: existential quantifiers in rule heads \rightsquigarrow create new domain elements

Definition 18.1: Let \mathbf{N} be a countably infinite set of (labelled) nulls, distinct from constants and variables.

Chasing tgds

Can we perform a bottom-up computation for non-full tgds?

New feature: existential quantifiers in rule heads \leadsto create new domain elements

Definition 18.1: Let \mathbf{N} be a countably infinite set of (labelled) nulls, distinct from constants and variables.

We can use (fresh) nulls to satisfy existential quantifiers during the chase:

```
function applyRules( $\Sigma, \Delta, i$ )
```

```
01  $\Delta^{i+1} = \emptyset$ 
```

```
02 foreach  $(\varphi \rightarrow \exists \vec{z}. \psi) \in \Sigma :$ 
```

```
03   foreach match  $\theta$  of  $\varphi$  over  $\Delta^{[0,i]}$  with  $\varphi\theta \cap \Delta^i \neq \emptyset :$ 
```

```
04      $\theta' = \theta \cup \{\vec{z} \mapsto \vec{n}\}$ , where  $\vec{n} \subseteq \mathbf{N}$  are fresh nulls
```

```
05      $\Delta^{i+1} = (\Delta^{i+1} \cup \psi\theta') \setminus \Delta^{[0,i]}$ 
```

```
06    $i = i + 1$ 
```

The outer loop (function $\text{chase}(\Sigma, \mathcal{I})$) remains as before.

Termination

When introducing new nulls, the chase may fail to terminate.

Example 18.2: Consider the inclusion dependencies

$$\text{Connect}(x, y, z) \rightarrow \exists v. \text{Lines}(z, v)$$

$$\text{Lines}(x, y) \rightarrow \exists v, w. \text{Connect}(v, w, x)$$

The chase over the database with a single fact $\text{Lines}(85, \text{bus})$ produces facts $\Delta^1 = \{\text{Connect}(n_1, n_2, 85)\}$, $\Delta^2 = \{\text{Lines}(85, n_3)\}$, $\Delta^3 = \{\text{Connect}(n_4, n_5, 85)\}$, $\Delta^4 = \{\text{Lines}(85, n_6)\}$, \dots

Termination

When introducing new nulls, the chase may fail to terminate.

Example 18.2: Consider the inclusion dependencies

$$\text{Connect}(x, y, z) \rightarrow \exists v. \text{Lines}(z, v)$$

$$\text{Lines}(x, y) \rightarrow \exists v, w. \text{Connect}(v, w, x)$$

The chase over the database with a single fact $\text{Lines}(85, \text{bus})$ produces facts $\Delta^1 = \{\text{Connect}(n_1, n_2, 85)\}$, $\Delta^2 = \{\text{Lines}(85, n_3)\}$, $\Delta^3 = \{\text{Connect}(n_4, n_5, 85)\}$, $\Delta^4 = \{\text{Lines}(85, n_6)\}$, \dots

Even if the chase does not terminate, we may consider the countably infinite structure that it produces in the limit. We define:

$$\text{chase}(\Sigma, \mathcal{I}) = \bigcup_{i \geq 0} \Delta^i$$

The chase is a model

Even an infinite chase is (conceptually) useful to solve reasoning problems.

Theorem 18.3: Consider a set Σ of tgds and a database \mathcal{I} .
Then $\mathcal{I} \subseteq \text{chase}(\Sigma, \mathcal{I})$ and $\text{chase}(\Sigma, \mathcal{I}) \models \Sigma$.

(Alternatively, we could consider \mathcal{I} as a set of facts and state that $\text{chase}(\Sigma, \mathcal{I}) \models \Sigma \cup \mathcal{I}$.)

Proof: Easy (suppose for a contradiction that it is not a model; conclude that some tgd must be violated in a specific way; observe that this tgd would be applicable in this way and must therefore already have been applied – contradiction). \square

The chase is universal

An essential property of the chase is as follows:

Theorem 18.4: Consider a set Σ of tgds and a database \mathcal{I} . If $\mathcal{J} \supseteq \mathcal{I}$ is a (possibly infinite) interpretation with $\mathcal{J} \models \Sigma$ then there is a homomorphism $\mu : \text{chase}(\Sigma, \mathcal{I}) \rightarrow \mathcal{J}$.

The chase is universal

An essential property of the chase is as follows:

Theorem 18.4: Consider a set Σ of tgds and a database \mathcal{I} . If $\mathcal{J} \supseteq \mathcal{I}$ is a (possibly infinite) interpretation with $\mathcal{J} \models \Sigma$ then there is a homomorphism $\mu : \text{chase}(\Sigma, \mathcal{I}) \rightarrow \mathcal{J}$.

Proof: We construct μ inductively along the computation of the chase by building a sequence of finite homomorphisms $\mu_0 \subseteq \mu_1 \subseteq \mu_2 \subseteq \dots$ such that $\mu_i : \Delta^{[0,i]} \rightarrow \mathcal{J}$.

The chase is universal

An essential property of the chase is as follows:

Theorem 18.4: Consider a set Σ of tgds and a database \mathcal{I} . If $\mathcal{J} \supseteq \mathcal{I}$ is a (possibly infinite) interpretation with $\mathcal{J} \models \Sigma$ then there is a homomorphism $\mu : \text{chase}(\Sigma, \mathcal{I}) \rightarrow \mathcal{J}$.

Proof: We construct μ inductively along the computation of the chase by building a sequence of finite homomorphisms $\mu_0 \subseteq \mu_1 \subseteq \mu_2 \subseteq \dots$ such that $\mu_i : \Delta^{[0,i]} \rightarrow \mathcal{J}$.

- Initially, let μ_0 be the identity mapping on \mathcal{I}

The chase is universal

An essential property of the chase is as follows:

Theorem 18.4: Consider a set Σ of tgds and a database \mathcal{I} . If $\mathcal{J} \supseteq \mathcal{I}$ is a (possibly infinite) interpretation with $\mathcal{J} \models \Sigma$ then there is a homomorphism $\mu : \text{chase}(\Sigma, \mathcal{I}) \rightarrow \mathcal{J}$.

Proof: We construct μ inductively along the computation of the chase by building a sequence of finite homomorphisms $\mu_0 \subseteq \mu_1 \subseteq \mu_2 \subseteq \dots$ such that $\mu_i : \Delta^{[0,i]} \rightarrow \mathcal{J}$.

- Initially, let μ_0 be the identity mapping on \mathcal{I}
- In step i , let $\varphi \rightarrow \exists \vec{z}. \psi$ be a rule that contributes facts $\psi\theta'$ to Δ^{i+1} for the match θ (extended to add new nulls)
 - Then $\mu_i(\varphi\theta) \subseteq \mathcal{J}$ by induction hypothesis, hence there is a corresponding substitution $\sigma : x \mapsto \mu_i(x\theta)$ on \mathcal{J} with $\varphi\sigma \subseteq \mathcal{J}$
 - Since $\mathcal{J} \models \Sigma$, we find an extension σ' of σ such that $\psi\sigma' \subseteq \mathcal{J}$
 - If $z\theta' = n$ is a new null introduced in Δ this step, then let $\mu_{i+1}(n) = \sigma'(z)$.
 - Let $\mu_{i+1}(t) = \mu_i(t)$ for all t that occurred in $\Delta^{[0,i]}$

It is not hard to see that $\mu = \bigcup_{i \geq 0} \mu_i$ is the required homomorphism. □

BCQ answering with the chase

Definition 18.5: A model \mathcal{J} of a theory \mathcal{T} that has a homomorphism into every other model of \mathcal{T} is called **universal**.

Note (for students of universal algebra): Universal models are initial objects in the category of models of \mathcal{T} with homomorphisms.

Observation 18.6: All universal models of \mathcal{T} are homomorphically equivalent.

BCQ answering with the chase

Definition 18.5: A model \mathcal{J} of a theory \mathcal{T} that has a homomorphism into every other model of \mathcal{T} is called **universal**.

Note (for students of universal algebra): Universal models are initial objects in the category of models of \mathcal{T} with homomorphisms.

Observation 18.6: All universal models of \mathcal{T} are homomorphically equivalent.

Theorem 18.7: A BCQ q is entailed from a database \mathcal{I} and set of tgds Σ iff q has a match with $\text{chase}(\Sigma, \mathcal{I})$.

Proof: The “only if” direction follows since $\text{chase}(\Sigma, \mathcal{I})$ is a model.

The “if” direction follows since $\text{chase}(\Sigma, \mathcal{I})$ is universal: a match is a homomorphism from variables of q into $\text{chase}(\Sigma, \mathcal{I})$, which can be extended by a homomorphism $\mu : \text{chase}(\Sigma, \mathcal{I}) \rightarrow \mathcal{J}$ to any other model \mathcal{J} of $\Sigma \cup \mathcal{I}$. □

Semi-deciding BCQ entailment

The previous result yields a semi-decision procedure even if the chase does not terminate:

Corrolary 18.8: BCQ entailment under constraints defined by sets of tgds is semi-decidable.

Proof: If a BCQ is entailed by $\text{chase}(\Sigma, \mathcal{I})$, then it has a match to a finite part $\Delta^{[0,i]} \subseteq \text{chase}(\Sigma, \mathcal{I})$ for some chase step i . A semi-decision procedure therefore can check for such matches while computing the chase. □

By the undecidability result, this is the best we can hope for in the general case.

However, one might hope for a finite chase in practical cases.

The chase revisited

The chase we specified so far is the **oblivious chase**. It tends to not terminate even in simple cases.

A better approach is the **restricted chase** that includes an additional check (line 4):

```
function applyRules( $\Sigma, \Delta, i$ )  
01   $\Delta^{i+1} = \emptyset$   
02  foreach  $(\varphi \rightarrow \exists \vec{z}\psi) \in \Sigma$  :  
03    foreach match  $\theta$  of  $\varphi$  over  $\Delta^{[0,i]}$  with  $\varphi\theta \cap \Delta^i \neq \emptyset$  :  
04      if  $\Delta^{[0,i]} \not\models \exists \vec{z}.\psi\theta$  :  
05         $\theta' = \theta \cup \{\vec{z} \mapsto \vec{n}\}$ , where  $\vec{n} \subseteq \mathbf{N}$  are fresh nulls  
06         $\Delta^{i+1} = (\Delta^{i+1} \cup \psi\theta') \setminus \Delta^{[0,i]}$   
07   $i = i + 1$ 
```

The restricted chase still produces a universal model (by easy adaptation of our proofs)

Example

Example 18.9: Consider the inclusion dependencies as before:

$$\text{Connect}(x, y, z) \rightarrow \exists v. \text{Lines}(z, v)$$

$$\text{Lines}(x, y) \rightarrow \exists v, w. \text{Connect}(v, w, x)$$

The restricted chase over the database with a single fact $\text{Lines}(85, \text{bus})$ first produces facts $\Delta^1 = \{\text{Connect}(n_1, n_2, 85)\}$. In the next iteration, however, we find that $\{\text{Lines}(85, \text{bus})\} \models \exists v. \text{Lines}(85, v)$, and hence $\Delta^2 = \emptyset$ and the chase terminates.

There are still cases where even the restricted chase does not terminate.

How can we know if this is the case?

Chase Termination

Chase Termination

If the chase terminates on a set Σ of tgds, then we can use it to decide query entailment over Σ .

- Termination may happen for some database instances but not for others
- Termination on all instances is called [universal termination](#)

Chase Termination

If the chase terminates on a set Σ of tgds, then we can use it to decide query entailment over Σ .

- Termination may happen for some database instances but not for others
- Termination on all instances is called **universal termination**

We cannot expect this good property to hold in general:

Theorem 18.10: The tgd $p(x, y) \rightarrow \exists z.p(y, z)$ over the database instance with fact $p(a, b)$ does not have a finite universal model.

Corollary: no chase that produces universal models can terminate in this case.

Chase Termination

If the chase terminates on a set Σ of tgds, then we can use it to decide query entailment over Σ .

- Termination may happen for some database instances but not for others
- Termination on all instances is called **universal termination**

We cannot expect this good property to hold in general:

Theorem 18.10: The tgd $p(x, y) \rightarrow \exists z.p(y, z)$ over the database instance with fact $p(a, b)$ does not have a finite universal model.

Corollary: no chase that produces universal models can terminate in this case.

Proof: Any finite structure either has (a) p -chains of bounded length, or (b) a p -cycle. In case (a), there is a BCQ for a longer p -chain that does not match (but that is entailed); in case (b) there is a BCQ for a cycle that does match (but that is not entailed). Hence no finite model can be universal. □

Chase termination is difficult

Theorem 18.11: The question if the (restricted or oblivious) chase terminates on a set of tgds Σ and database \mathcal{I} is undecidable.

Chase termination is difficult

Theorem 18.11: The question if the (restricted or oblivious) chase terminates on a set of tgds Σ and database \mathcal{I} is undecidable.

Proof: By the same proof as for the undecidability of BCQ entailment (Theorem 18.17):

- Simulate a deterministic TM in tgds
- The simulation will terminate iff the DTM halts

□

Chase termination is difficult

Theorem 18.11: The question if the (restricted or oblivious) chase terminates on a set of tgds Σ and database \mathcal{I} is undecidable.

Proof: By the same proof as for the undecidability of BCQ entailment (Theorem 18.17):

- Simulate a deterministic TM in tgds
- The simulation will terminate iff the DTM halts □

Note 1: If the DTM does not halt, the universal model must contain an infinite forward-directed chain of successor configurations. Then, as in Example 18.10, we find that no finite model can be universal. Hence the argument extends to any chase procedure.

Note 2: Termination is clearly semi-decidable (just run the chase).

Universal chase termination

The situation for universal termination is more complicated.

Oblivious chase termination over arbitrary database instance is equivalent to termination over a special **critical instance**:

Proposition 18.12: Consider a set Σ of tgds. The oblivious chase terminates over Σ on all instances iff it terminates over the following critical instance \mathcal{I}_\star :

- $\Delta^{\mathcal{I}_\star} = \{\star\}$,
- for every n -ary predicate symbol p in Σ , $p^{\mathcal{I}_\star} = \star^n$.

Universal chase termination

The situation for universal termination is more complicated.

Oblivious chase termination over arbitrary database instance is equivalent to termination over a special **critical instance**:

Proposition 18.12: Consider a set Σ of tgds. The oblivious chase terminates over Σ on all instances iff it terminates over the following critical instance \mathcal{I}_\star :

- $\Delta^{\mathcal{I}_\star} = \{\star\}$,
- for every n -ary predicate symbol p in Σ , $p^{\mathcal{I}_\star} = \star^n$.

Proof: Based on the following simple observation:

Any homomorphism $\mu : \mathcal{I} \rightarrow \mathcal{J}$ between two database instances extends to a homomorphism $\mu : \text{chase}(\Sigma, \mathcal{I}) \rightarrow \text{chase}(\Sigma, \mathcal{J})$ such that $\mu^-(\delta)$ is a finite set for all $\delta \in \Delta^{\mathcal{J}}$.

This can be shown by inductive construction of this extended homomorphism along the chase.

In particular, if $\text{chase}(\Sigma, \mathcal{J})$ is finite, so is $\text{chase}(\Sigma, \mathcal{I})$.

The claim follows since every instance has a (unique, obvious) homomorphism to \mathcal{I}_\star . \square

Deciding universal termination?

Deciding universal oblivious chase termination could be easier than deciding chase termination on arbitrary instances:

- The reduction from DTM halting does not work, since the encoding is not correct on \mathcal{I}_* .
- Indeed, in common DTM encodings, \mathcal{I}_* will fail to terminate, even if a particular input is accepted.

Deciding universal termination?

Deciding universal oblivious chase termination could be easier than deciding chase termination on arbitrary instances:

- The reduction from DTM halting does not work, since the encoding is not correct on \mathcal{I}_* .
- Indeed, in common DTM encodings, \mathcal{I}_* will fail to terminate, even if a particular input is accepted.

However, showing undecidability merely turns out to be much more work:

Theorem 18.13 (Gogacz & Marcinkowski 2014): Universal termination of the oblivious chase is undecidable.

As before, we obtain semi-decidability (just run the chase on the critical instance)

Sufficient conditions for termination

Undecidability of termination:

There is no algorithm that recognises exactly the cases where a chase terminates.

Can we still find algorithms that recognises many of the “relevant” cases?

Sufficient conditions for termination

Undecidability of termination:

There is no algorithm that recognises exactly the cases where a chase terminates.

Can we still find algorithms that recognises many of the “relevant” cases?

↪ Acyclicity conditions

Sufficient conditions for termination

Undecidability of termination:

There is no algorithm that recognises exactly the cases where a chase terminates.

Can we still find algorithms that recognises many of the “relevant” cases?

↪ Acyclicity conditions

Observation 18.14: If a set of tgds is non-recursive (in the sense that the predicate-dependency graph has no cycles), then the chase universally terminates.

One also speaks of **acyclic tgds** in this case.

Weak acyclicity

Acyclicity is very restrictive. A more liberal condition is based on tracing dependencies between predicate positions:

Definition 18.15: A **predicate position** is a pair $\langle p, i \rangle$ where p is a predicate symbol and $i \in \{1, \dots, \text{arity}(p)\}$. Given an atom $p(t_1, \dots, t_n)$, the **term at position** $\langle p, i \rangle$ is t_i . The **dependency graph** of a tgds set Σ has the set of all positions in predicates of Σ as its nodes.

For every rule ρ , and every variable x at position $\langle p, i \rangle$ in the head of ρ , the graph contains the following edges:

- If x is universally quantified and occurs at position $\langle q, j \rangle$ in the body of ρ , then there is an edge $\langle q, j \rangle \rightarrow \langle p, i \rangle$.
- If x is existentially quantified and another variable y occurs at position $\langle q, j \rangle$ in the body of ρ , then there is a special edge $\langle q, j \rangle \Rightarrow \langle p, i \rangle$.

Σ is **weakly acyclic** if its dependency graph does not contain a cycle that involves a special edge.

Weak acyclicity (2)

Example 18.16: The following tgds set is weakly acyclic yet recursive:

$$q(x) \rightarrow \exists v.p(x, v)$$

$$p(x, y) \rightarrow q(x)$$

Weak acyclicity (2)

Example 18.16: The following tgds set is weakly acyclic yet recursive:

$$\begin{aligned}q(x) &\rightarrow \exists v.p(x, v) \\p(x, y) &\rightarrow q(x)\end{aligned}$$

Weak acyclicity is easy to check:

Theorem 18.17: Whether Σ is weakly acyclic is NL-complete.

Proof: The problem can be solved in NL using a variation of the usual NL reachability algorithm. It is NL-hard by an easy reduction from directed graph reachability. \square

Chase termination under weak acyclicity

Theorem 18.18: If Σ is weakly acyclic then the oblivious (and the restricted) chase universally terminates over Σ .

Chase termination under weak acyclicity

Theorem 18.18: If Σ is weakly acyclic then the oblivious (and the restricted) chase universally terminates over Σ .

To show this, we make a small change of perspective:

Definition 18.19: The **naive skolemisation** of a $\text{tgd } \forall \vec{x}, \vec{y}. \varphi[\vec{x}, \vec{y}] \rightarrow \exists \vec{z}. \psi[\vec{x}, \vec{z}]$ is obtained by replacing each existential variable $z \in \vec{z}$ with a function term $f_z(\vec{x}, \vec{y})$, where f_z is a fresh skolem function symbol of arity $|\vec{x}| + |\vec{y}|$.

The chase can be performed using the naive skolemisation of all tgds, and using function terms instead of labelled nulls. The result is isomorphic to the oblivious chase.

Chase termination under weak acyclicity

Theorem 18.18: If Σ is weakly acyclic then the oblivious (and the restricted) chase universally terminates over Σ .

To show this, we make a small change of perspective:

Definition 18.19: The **naive skolemisation** of a $\text{tgd } \forall \vec{x}, \vec{y}. \varphi[\vec{x}, \vec{y}] \rightarrow \exists \vec{z}. \psi[\vec{x}, \vec{z}]$ is obtained by replacing each existential variable $z \in \vec{z}$ with a function term $f_z(\vec{x}, \vec{y})$, where f_z is a fresh skolem function symbol of arity $|\vec{x}| + |\vec{y}|$.

The chase can be performed using the naive skolemisation of all tgds, and using function terms instead of labelled nulls. The result is isomorphic to the oblivious chase.

Proof (of Thm. 18.18): If the oblivious chase is infinite, then so is the naive skolem chase. Then the naive skolem chase uses infinitely many functional terms.

Hence there is a term of the form $f_z(t_1, \dots, t_\ell)$ where f_z occurs nested within one of the terms t_i . It is easy to show that the sequence of rule applications that leads to such a term induces a cycle in the dependency graph through a special edge. □

Side remark: The Skolem chase

Using a less naive skolemisation improves the chase:

- For skolemisation, replace existential variables z by functional terms $f_z(\vec{x})$ that depend only on frontier variables \vec{x}
- Use the resulting skolem terms during the oblivious chase instead of named nulls
 \leadsto **skolem chase**
- Weak acyclicity can be adapted to the skolem chase: in case 2, do not create special edges from positions of non-frontier variables

Example 18.20: Consider the tgd $p(x, y) \rightarrow \exists z.p(x, z)$. It is weakly acyclic with the modified definition, but not with our initial one. Over a fact $p(a, b)$, the oblivious chase would not terminate, but produce facts $p(a, b), p(a, n_1), p(a, n_2), \dots$

In contrast, the skolem chase is based on the (non-naive) skolemisation $p(x, y) \rightarrow p(x, f(x))$, and therefore produces only the facts $p(a, b)$ and $p(a, f(a))$.

In general, the skolem chase terminates in more cases than the oblivious chase, and the restricted chase terminates in more cases than the skolem chase. All chases produce universal models.

Reasoning in weakly acyclic tgds

The chase can be used for reasoning as it will terminate.

However, this may still take a while:

Theorem 18.21 (Calí, Gottlob, Pieris 2010): The chase on a set Σ of weakly acyclic tgds may be of double exponential size in the size Σ . Deciding BCQ entailment over weakly acyclic tgds is 2ExpTime-complete for combined complexity and P-complete for data complexity.

Reasoning in weakly acyclic tgds

The chase can be used for reasoning as it will terminate.

However, this may still take a while:

Theorem 18.21 (Calí, Gottlob, Pieris 2010): The chase on a set Σ of weakly acyclic tgds may be of double exponential size in the size Σ . Deciding BCQ entailment over weakly acyclic tgds is 2ExpTime-complete for combined complexity and P-complete for data complexity.

Proof (sketch): Termination within doubly-exponential time (polynomial time for data complexity) can be obtained from the proof of termination

(estimate maximal number of function terms without repeated symbols; estimate maximal number of unique facts that can be derived; conclude upper bound).

2ExpTime-hardness can be shown by simulating a doubly exponentially time bounded deterministic TM using weakly acyclic tgds. The key is to define a chain of doubly exponential length that can then be used for modelling time and space in a standard TM simulation (as seen in this course).

P-hardness follows from the P-hardness of full tgds (Datalog).



Building long chains with weakly acyclic tgds

Key idea [Calí, Gottlob, Pieris 2010]: For $k \geq 0$, we construct a tape of length 2^{2^k} using a tgd set of size proportional to k . An initial chain of two elements is defined by the facts:

$$r_0(c_0), r_0(c_1), \text{succ}_0(c_0, c_1), \text{min}_0(c_0), \text{max}_0(c_1).$$

The following rules are organised in layers $i \in \{0, \dots, k-1\}$, where each layer combines already constructed elements to construct larger chains:

$$r_i(x) \wedge r_i(y) \rightarrow \exists z. s_i(x, y, z)$$

$$s_i(x, y, z) \rightarrow r_{i+1}(z)$$

$$s_i(x, y, z) \wedge s_i(x, y', z') \wedge \text{succ}_i(y, y') \rightarrow \text{succ}_{i+1}(z, z')$$

$$s_i(x, y, z) \wedge s_i(x', y', z') \wedge \text{max}_i(y) \wedge \text{min}_i(y') \wedge \text{succ}_i(x, x') \rightarrow \text{succ}_{i+1}(z, z')$$

$$\text{min}_i(x) \wedge s_i(x, x, y) \rightarrow \text{min}_{i+1}(y)$$

$$\text{max}_i(x) \wedge s_i(x, x, y) \rightarrow \text{max}_{i+1}(y)$$

Beyond weak acyclicity

Weak acyclicity is not perfect . . .

Example 18.22: The following tgdc is not weakly acyclic:

$$q(x) \wedge p(x) \rightarrow \exists v. r(x, v) \wedge q(v)$$

Nevertheless, the oblivious chase terminates universally.

Beyond weak acyclicity

Weak acyclicity is not perfect . . .

Example 18.22: The following tgd is not weakly acyclic:

$$q(x) \wedge p(x) \rightarrow \exists v. r(x, v) \wedge q(v)$$

Nevertheless, the oblivious chase terminates universally.

Intuitively, the example terminates since the new null for v does not **jointly** occur in $\langle p, 1 \rangle$ and $\langle q, 1 \rangle$.

Many generalisations of weak acyclicity were proposed:

- joint acyclicity (directly addressing the above)
- super-weak acyclicity
- acyclic graph of rule dependencies
- model-summarising and model-faithful acyclicity
- (and many less general conditions in specific areas)

Other acyclicities

Advanced acyclicity conditions are hard to check:

- P-complete: joint acyclicity and super-weak acyclicity
- NP-complete: acyclic graph of rule dependencies
- ExpTime-complete: model-summarising
- 2ExpTime-complete: model-faithful acyclicity

and they capture more and more tgds sets.

Nevertheless, all of these increasingly general notions lead to classes of tgds with the same expressivity (lossless transformation to weakly acyclic tgds possible)

Complexity of reasoning is also the same in all cases (2ExpTime combined and P data).

Restricted Chase Termination

Restricted chase termination

Many results also apply to the restricted chase:

- Termination on a specific instance is undecidable (same reduction)
- Query answering under common acyclicity conditions is 2ExpTime -complete (same reduction)

Restricted chase termination

Many results also apply to the restricted chase:

- Termination on a specific instance is undecidable (same reduction)
- Query answering under common acyclicity conditions is 2ExpTime-complete (same reduction)

However, there is a new complication:

Example 18.23: Consider an instance \mathcal{I} with fact $p(a, b)$ and the following tgds:

$$p(x, y) \rightarrow p(y, x)$$

$$p(x, y) \rightarrow \exists v.p(y, v)$$

Applying the first tgd to \mathcal{I} , we obtain the set $\{p(a, b), p(b, a)\}$, which is a universal model. The restricted chase terminates.

However, if we apply the second tgd before the first, we can generate facts $p(a, b), p(b, n_1), p(b, a), p(n_1, n_2), p(n_1, b), p(n_2, n_3), \dots$

The restricted chase does not terminate.

Observation: restricted chase termination depends on the order of rule applications

Universal restricted chase termination

The critical instance is not useful for universal termination of the restricted chase:

Observation 18.24: The restricted chase always terminates over the critical instance, for any set of tgds.

Universal restricted chase termination

The critical instance is not useful for universal termination of the restricted chase:

Observation 18.24: The restricted chase always terminates over the critical instance, for any set of tgds.

Universal restricted chase termination is still undecidable [Gogacz & Marcinkowski 2014]. Few bespoke termination conditions exist [Carral, Dragoste, Krötzsch; IJCAI'17].

Universal restricted chase termination

The critical instance is not useful for universal termination of the restricted chase:

Observation 18.24: The restricted chase always terminates over the critical instance, for any set of tgds.

Universal restricted chase termination is still undecidable [Gogacz & Marcinkowski 2014]. Few bespoke termination conditions exist [Carral, Dragoste, Krötzsch; IJCAI'17].

Interestingly, there is still a **big** difference in expressivity between the terminating oblivious/skolem chase and the terminating restricted chase:

Theorem 18.25: A tgd set Σ and BCQ q express an (abstract) Boolean query \mathcal{Q} .

- If the skolem chase universally terminates over Σ , then \mathcal{Q} is in P [Marnette, PODS'09], closed under homomorphisms, and can be expressed in Datalog [Zhang, Zhang, You; AAI'15]. The same holds for the oblivious chase.
- Every decidable \mathcal{Q} that is closed under homomorphisms is expressed by a set of tgds Σ and a BCQ q such that the restricted chase universally terminates over Σ [Borgaux, Carral, Krötzsch, Rudolph, Thomazo; KR'21].

Summary and Outlook

The chase is an important approach for reasoning over dependencies

The oblivious chase introduces more redundant nulls than the restricted chase

Chase termination allows us to decide BCQ answering

Several sufficient acyclicity conditions can be used for showing chase termination

The terminating restricted chase can express any decidable, homomorphism-closed computation on a databases

Next topics:

- More languages of tgds with decidable entailment problems
- Outlook