

Hannes Strass

(based on slides by Stefan Woltran and Sarah Gaggl)

Faculty of Computer Science, Institute of Artificial Intelligence, Computational Logic Group

Abstract Argumentation

Lecture 10, 9th Jan 2023 // Foundations of Knowledge Representation, WS 2022/23

Overview

Overall Process

Argumentation Frameworks

AFs – Semantics

AFs – Outlook

Overall Process

Introduction

Argumentation:

The study of processes “concerned with how assertions are **proposed**, **discussed**, and **resolved** in the context of issues upon which several **diverging opinions** may be held”.

[Bench-Capon and Dunne, Argumentation in AI, AIJ 171:619-641, 2007]

Formal Models of Argumentation are concerned with

- representation of an argument (i.e. an expression of opinion)
- representation of the relationship between arguments
- solving conflicts between the arguments (“acceptability”)

Overall Process

The overall process of using argumentation frameworks consists of the steps listed below.

Starting point: Knowledge base

1. Form arguments
2. Identify conflicts
3. Abstract from internal structure
4. Resolve conflicts
5. Draw conclusions

Overall Process – Form Arguments

Consider the following **knowledge base**:

Knowledge Base

$$\Delta = \{s, r, w, s \rightarrow \neg r, r \rightarrow \neg w, w \rightarrow \neg s\}$$

From this, form **arguments**:

$$\langle \{w, w \rightarrow \neg s\}, \neg s \rangle$$


$$\langle \{s, s \rightarrow \neg r\}, \neg r \rangle$$

$$\langle \{r, r \rightarrow \neg w\}, \neg w \rangle$$

Overall Process – Identify Conflicts

Knowledge Base

$$\Delta = \{s, r, w, s \rightarrow \neg r, r \rightarrow \neg w, w \rightarrow \neg s\}$$




Overall Process – Abstract from Internal Structure

Knowledge Base

$$\Delta = \{s, r, w, s \rightarrow \neg r, r \rightarrow \neg w, w \rightarrow \neg s\}$$

F_{Δ} :




Overall Process – Resolve Conflicts

Knowledge Base

$$\Delta = \{s, r, w, s \rightarrow \neg r, r \rightarrow \neg w, w \rightarrow \neg s\}$$

F_Δ :




$$\text{pref}(F_\Delta) = \{\emptyset\}$$

$$\text{stage}(F_\Delta) = \{\{\alpha\}, \{\beta\}, \{\gamma\}\}$$

Overall Process – Draw Conclusions

Knowledge Base

$$\Delta = \{s, r, w, s \rightarrow \neg r, r \rightarrow \neg w, w \rightarrow \neg s\}$$



$$Cn_{pref}(F_{\Delta}) = Cn(\top)$$

$$Cn_{stage}(F_{\Delta}) = Cn(\neg r \vee \neg w \vee \neg s)$$

The Overall Process (ctd.)

Some Remarks

- Main idea dates back to the seminal work of Phan Minh Dung [1995]; has then been refined by several authors (Prakken, Gordon, Caminada, ...)
- Separation between logical (forming arguments) and non-monotonic reasoning (“abstract argumentation frameworks”)
- Abstraction allows to compare several KR formalisms on a conceptual level (“calculus of conflict”)

Main Challenge


- All steps in the argumentation process are, in general, intractable.
- This calls for:
 - careful complexity analysis (identification of tractable fragments)
 - re-use of established tools for implementations (reduction method)

Approaches to Form Arguments

Classical Arguments [Besnard & Hunter, 2001]

- Given is a KB (a set of propositions) Δ
- An **argument** is a pair (Φ, α) , such that $\Phi \subseteq \Delta$ is consistent, $\Phi \models \alpha$ and for no $\Psi \subsetneq \Phi$, $\Psi \models \alpha$
- An argument (Φ, α) **attacks** argument (Φ', α') iff $\Phi' \cup \{\alpha\}$ is inconsistent

Example




Other Approaches:

- arguments are trees (or directed acyclic graphs) of statements
- claims are obtained via strict and defeasible rules
- different notions of conflict: rebuttal, undercut, etc.

Argumentation Frameworks

Dung's Abstract Argumentation Frameworks

Example



Main Properties

- Abstract from the concrete content of arguments; only consider the **relation** between them
- Semantics select subsets of arguments respecting certain criteria
- Simple, yet powerful formalism
- Most active research area in the field of argumentation

Dung's Abstract Argumentation Frameworks


Definition

An **argumentation framework** (AF) is a pair (A, R) where

- A is a set of arguments,
- $R \subseteq A \times A$ is a relation representing the conflicts ("attacks").

Example

$$F = (\{a, b, c, d, e\}, \{(a, b), (c, b), (c, d), (d, c), (d, e), (e, e)\})$$



Basic Properties (1)

Definition (Conflict-Free Sets)

Let $F = (A, R)$ be an AF.

A set $S \subseteq A$ is **conflict-free** in F iff for each $a, b \in S$ we have $(a, b) \notin R$.


Basic Properties (1)

Definition (Conflict-Free Sets)

Let $F = (A, R)$ be an AF.

A set $S \subseteq A$ is **conflict-free** in F iff for each $a, b \in S$ we have $(a, b) \notin R$.

Example



$$cf(F) = \{\{a, c\},$$


Basic Properties (1)

Definition (Conflict-Free Sets)

Let $F = (A, R)$ be an AF.

A set $S \subseteq A$ is **conflict-free** in F iff for each $a, b \in S$ we have $(a, b) \notin R$.

Example



$$cf(F) = \{\{a, c\}, \{a, d\},$$


Basic Properties (1)

Definition (Conflict-Free Sets)

Let $F = (A, R)$ be an AF.

A set $S \subseteq A$ is **conflict-free** in F iff for each $a, b \in S$ we have $(a, b) \notin R$.

Example



$$cf(F) = \{\{a, c\}, \{a, d\}, \{b, d\},$$


Basic Properties (1)

Definition (Conflict-Free Sets)

Let $F = (A, R)$ be an AF.

A set $S \subseteq A$ is **conflict-free** in F iff for each $a, b \in S$ we have $(a, b) \notin R$.

Example



$$cf(F) = \{\{a, c\}, \{a, d\}, \{b, d\}, \{a\}, \{b\}, \{c\}, \{d\}, \emptyset\}$$

Basic Properties (2)

Definition (Admissible Sets [Dung, 1995])

Let $F = (A, R)$ be an AF.

A set $S \subseteq A$ is **admissible** in F iff

- S is conflict-free in F ,
- each $a \in S$ is defended by S in F , where
 - $a \in A$ is **defended** by S in F iff for each $b \in A$ with $(b, a) \in R$, there exists a $c \in S$ such that $(c, b) \in R$.

Basic Properties (2)


Definition (Admissible Sets [Dung, 1995])

Let $F = (A, R)$ be an AF.

A set $S \subseteq A$ is **admissible** in F iff

- S is conflict-free in F ,
- each $a \in S$ is defended by S in F , where
 - $a \in A$ is **defended** by S in F iff for each $b \in A$ with $(b, a) \in R$, there exists a $c \in S$ such that $(c, b) \in R$.

Example



$adm(F) = \{\{a, c\},$

Basic Properties (2)


Definition (Admissible Sets [Dung, 1995])

Let $F = (A, R)$ be an AF.

A set $S \subseteq A$ is **admissible** in F iff

- S is conflict-free in F ,
- each $a \in S$ is defended by S in F , where
 - $a \in A$ is **defended** by S in F iff for each $b \in A$ with $(b, a) \in R$, there exists a $c \in S$ such that $(c, b) \in R$.

Example



$adm(F) = \{\{a, c\}, \{a, d\},$

Basic Properties (2)


Definition (Admissible Sets [Dung, 1995])

Let $F = (A, R)$ be an AF.

A set $S \subseteq A$ is **admissible** in F iff

- S is conflict-free in F ,
- each $a \in S$ is defended by S in F , where
 - $a \in A$ is **defended** by S in F iff for each $b \in A$ with $(b, a) \in R$, there exists a $c \in S$ such that $(c, b) \in R$.

Example



$adm(F) = \{\{a, c\}, \{a, d\}, \{b, d\},$

Basic Properties (2)


Definition (Admissible Sets [Dung, 1995])

Let $F = (A, R)$ be an AF.

A set $S \subseteq A$ is **admissible** in F iff

- S is conflict-free in F ,
- each $a \in S$ is defended by S in F , where
 - $a \in A$ is **defended** by S in F iff for each $b \in A$ with $(b, a) \in R$, there exists a $c \in S$ such that $(c, b) \in R$.

Example



$$\text{adm}(F) = \{\{a, c\}, \{a, d\}, \{\cancel{b}, d\}, \{a\}, \{b\}, \{c\}, \{d\}, \emptyset\}$$

Basic Properties (3)

Dung's Fundamental Lemma

Let S be admissible in an AF F and a, a' arguments in F defended by S in F . Then,

1. $S' = S \cup \{a\}$ is admissible in F .
2. a' is defended by S' in F .

AFs – Semantics

Naive

Definition (Naive Sets/Extensions)

Let $F = (A, R)$ be an AF.

A set $S \subseteq A$ is **naive** in F iff

- S is conflict-free in F ,
- there is no conflict-free $T \subseteq A$ in F such that $S \subsetneq T$.

Naive sets are subset-maximally conflict-free sets.

Naive

Definition (Naive Sets/Extensions)


Let $F = (A, R)$ be an AF.

A set $S \subseteq A$ is **naive** in F iff

- S is conflict-free in F ,
- there is no conflict-free $T \subseteq A$ in F such that $S \subsetneq T$.

Naive sets are subset-maximally conflict-free sets.

Example



$$\text{naive}(F) = \{\{a, c\},$$

Naive

Definition (Naive Sets/Extensions)


Let $F = (A, R)$ be an AF.

A set $S \subseteq A$ is **naive** in F iff

- S is conflict-free in F ,
- there is no conflict-free $T \subseteq A$ in F such that $S \subsetneq T$.

Naive sets are subset-maximally conflict-free sets.

Example



$$\text{naive}(F) = \{\{a, c\}, \{a, d\},$$

Naive

Definition (Naive Sets/Extensions)


Let $F = (A, R)$ be an AF.

A set $S \subseteq A$ is **naive** in F iff

- S is conflict-free in F ,
- there is no conflict-free $T \subseteq A$ in F such that $S \subsetneq T$.

Naive sets are subset-maximally conflict-free sets.

Example



$naive(F) = \{\{a, c\}, \{a, d\}, \{b, d\},$

Naive

Definition (Naive Sets/Extensions)


Let $F = (A, R)$ be an AF.

A set $S \subseteq A$ is **naive** in F iff

- S is conflict-free in F ,
- there is no conflict-free $T \subseteq A$ in F such that $S \subsetneq T$.

Naive sets are subset-maximally conflict-free sets.

Example



$$\text{naive}(F) = \{\{a, c\}, \{a, d\}, \{b, d\}, \{a\}, \{b\}, \{c\}, \{d\}, \emptyset\}$$

Grounded

Definition (Grounded Extension [Dung, 1995])

Let $F = (A, R)$ be an AF. The unique **grounded extension** of F is defined as the outcome S (initially empty) of the following “algorithm”:

1. put each argument $a \in A$ that is not attacked in F into S ; if no such arguments exist, return S ;
2. remove from F all (new) arguments in S and all arguments attacked by them (together with all adjacent attacks); and continue with Step 1.


Grounded

Definition (Grounded Extension [Dung, 1995])

Let $F = (A, R)$ be an AF. The unique **grounded extension** of F is defined as the outcome S (initially empty) of the following “algorithm”:

1. put each argument $a \in A$ that is not attacked in F into S ; if no such arguments exist, return S ;
2. remove from F all (new) arguments in S and all arguments attacked by them (together with all adjacent attacks); and continue with Step 1.

Example



$$\text{ground}(F) = \{\{a\}\}$$

Complete

Definition (Complete Extension [Dung, 1995])

Let (A, R) be an AF.

A set $S \subseteq A$ is **complete** in F iff

- S is admissible in F ,
- each $a \in A$ defended by S in F is contained in S .
 - Recall: $a \in A$ is defended by S in F iff for each $b \in A$ with $(b, a) \in R$, there exists a $c \in S$, such that $(c, b) \in R$.

Complete


Definition (Complete Extension [Dung, 1995])

Let (A, R) be an AF.

A set $S \subseteq A$ is **complete** in F iff

- S is admissible in F ,
- each $a \in A$ defended by S in F is contained in S .
 - Recall: $a \in A$ is defended by S in F iff for each $b \in A$ with $(b, a) \in R$, there exists a $c \in S$, such that $(c, b) \in R$.

Example



$comp(F) = \{\{a, c\},$

Complete


Definition (Complete Extension [Dung, 1995])

Let (A, R) be an AF.

A set $S \subseteq A$ is **complete** in F iff

- S is admissible in F ,
- each $a \in A$ defended by S in F is contained in S .
 - Recall: $a \in A$ is defended by S in F iff for each $b \in A$ with $(b, a) \in R$, there exists a $c \in S$, such that $(c, b) \in R$.

Example



$comp(F) = \{\{a, c\}, \{a, d\},$

Complete


Definition (Complete Extension [Dung, 1995])

Let (A, R) be an AF.

A set $S \subseteq A$ is **complete** in F iff

- S is admissible in F ,
- each $a \in A$ defended by S in F is contained in S .
 - Recall: $a \in A$ is defended by S in F iff for each $b \in A$ with $(b, a) \in R$, there exists a $c \in S$, such that $(c, b) \in R$.

Example



$comp(F) = \{\{a, c\}, \{a, d\}, \{a\},$

Complete


Definition (Complete Extension [Dung, 1995])

Let (A, R) be an AF.

A set $S \subseteq A$ is **complete** in F iff

- S is admissible in F ,
- each $a \in A$ defended by S in F is contained in S .
 - Recall: $a \in A$ is defended by S in F iff for each $b \in A$ with $(b, a) \in R$, there exists a $c \in S$, such that $(c, b) \in R$.

Example



$comp(F) = \{\{a, c\}, \{a, d\}, \{a\}, \{c\}, \{d\}, \emptyset\}$

Grounded vs. Complete

Properties of the Grounded Extension

For any AF F , the grounded extension of F is the subset-least complete extension of F .

Grounded vs. Complete

Properties of the Grounded Extension

For any AF F , the grounded extension of F is the subset-least complete extension of F .

Remark

Since there exists exactly one grounded extension for each AF F , we often write $ground(F) = S$ instead of $ground(F) = \{S\}$.

Preferred

Definition (Preferred Extensions [Dung, 1995])

Let $F = (A, R)$ be an AF.

A set $S \subseteq A$ is a **preferred extension** of F iff

- S is admissible in F ,
- there is no admissible $T \subseteq A$ in F such that $S \subsetneq T$.

Preferred extensions are subset-maximally admissible sets.

Preferred

Definition (Preferred Extensions [Dung, 1995])


Let $F = (A, R)$ be an AF.

A set $S \subseteq A$ is a **preferred extension** of F iff

- S is admissible in F ,
- there is no admissible $T \subseteq A$ in F such that $S \subsetneq T$.

Preferred extensions are subset-maximally admissible sets.

Example



$$\text{pref}(F) = \{\{a, c\}, \{a, d\}, \{a\}, \{c\}, \{d\}, \emptyset\}$$

Stable

Definition (Stable Extensions [Dung, 1995])

Let $F = (A, R)$ be an AF.

A set $S \subseteq A$ is a **stable extension** of F iff

- S is conflict-free in F ,
- for each $a \in A \setminus S$, there exists a $b \in S$ such that $(b, a) \in R$.

Stable


Definition (Stable Extensions [Dung, 1995])

Let $F = (A, R)$ be an AF.

A set $S \subseteq A$ is a **stable extension** of F iff

- S is conflict-free in F ,
- for each $a \in A \setminus S$, there exists a $b \in S$ such that $(b, a) \in R$.

Example



$stable(F) = \{\{a, c\}\}$

Stable


Definition (Stable Extensions [Dung, 1995])

Let $F = (A, R)$ be an AF.

A set $S \subseteq A$ is a **stable extension** of F iff

- S is conflict-free in F ,
- for each $a \in A \setminus S$, there exists a $b \in S$ such that $(b, a) \in R$.

Example



$stable(F) = \{\{a, c\}, \{a, d\},$

Stable


Definition (Stable Extensions [Dung, 1995])

Let $F = (A, R)$ be an AF.

A set $S \subseteq A$ is a **stable extension** of F iff

- S is conflict-free in F ,
- for each $a \in A \setminus S$, there exists a $b \in S$ such that $(b, a) \in R$.

Example



$stable(F) = \{\{a, c\}, \{a, d\}, \{b, d\},$

Stable


Definition (Stable Extensions [Dung, 1995])

Let $F = (A, R)$ be an AF.

A set $S \subseteq A$ is a **stable extension** of F iff

- S is conflict-free in F ,
- for each $a \in A \setminus S$, there exists a $b \in S$ such that $(b, a) \in R$.

Example



$stable(F) = \{\{a, c\}, \{a, d\}, \{b, d\}, \{a\}, \{b\}, \{c\}, \{d\}, \emptyset, \}$

Relationships Between Semantics

Proposition

For any AF F the following relations hold:

1. Each stable extension of F is also a preferred one;
2. Each preferred extension of F is also a complete one;
3. Each complete extension of F is admissible in F .

Semi-Stable

Definition (Semi-Stable Extensions [Caminada, 2006])

Let $F = (A, R)$ be an AF.

A set $S \subseteq A$ is a **semi-stable extension** of F iff

- S is admissible in F ,
- there is no admissible $T \subseteq A$ in F such that $S^+ \subsetneq T^+$, where
 - for $S \subseteq A$, define $S^+ = S \cup \{a \mid \exists b \in S \text{ with } (b, a) \in R\}$.

Defined as **admissible stages** by Verheij [1996].

Semi-Stable

Definition (Semi-Stable Extensions [Caminada, 2006])


Let $F = (A, R)$ be an AF.

A set $S \subseteq A$ is a **semi-stable extension** of F iff

- S is admissible in F ,
- there is no admissible $T \subseteq A$ in F such that $S^+ \subsetneq T^+$, where
 - for $S \subseteq A$, define $S^+ = S \cup \{a \mid \exists b \in S \text{ with } (b, a) \in R\}$.

Defined as **admissible stages** by Verheij [1996].

Example



$semi(F) = \{\{a, c\}, \{a, d\}, \{a\}, \{c\}, \{d\}, \emptyset\}$

Stage

Definition (Stage Extensions [Verheij, 1996])

Let $F = (A, R)$ be an AF.

A set $S \subseteq A$ is a **stage extension** of F iff

- S is conflict-free in F ,
- there is no conflict-free $T \subseteq A$ in F such that $S^+ \subsetneq T^+$.
 - Recall: $S^+ = S \cup \{a \mid \exists b \in S \text{ with } (b, a) \in R\}$.

S^+ is also called the **range** of S . Thus:

- Semi-stable extensions are range-maximally admissible sets.
- Stage extensions are range-maximally conflict-free sets.

Ideal

Definition (Ideal Extension [Dung, Mancarella & Toni 2007])

Let $F = (A, R)$ be an AF.

A set $S \subseteq A$ is an **ideal extension** of F iff


- S is admissible in F and contained in each preferred extension of F ,
- there is no $T \supsetneq S$ admissible in F and contained in each of $\text{pref}(F)$.

Properties of Ideal Extensions

For any AF F the following observations hold:

1. There exists exactly one ideal extension of F .
2. The ideal extension of F is also a complete one.

Relations Between Semantics



An arrow from semantics σ to semantics τ means that each σ -extension is also a τ -extension.


AFs – Outlook

Characteristics of Argumentation Semantics

Example

$pref(F) = \{\{a, d, e\}, \{b, c, e\}, \{a, b\}\}$

$naive(F) = \{\{a, d, e\}, \{b, c, e\}, \{a, b, e\}\}$



Characteristics of Argumentation Semantics

Natural Questions

- How to change the AF if we want $\{a, b, e\}$ instead of $\{a, b\}$ in $\text{pref}(F)$?
- How to change the AF if we want $\{a, b, d\}$ instead of $\{a, b\}$ in $\text{pref}(F)$?
- Can we have equivalent AFs without argument f ?

↔ Realizability

Some Properties ...

Theorem

For any AFs F and G , we have

- $adm(F) = adm(G)$ implies $\sigma(F) = \sigma(G)$, for $\sigma \in \{pref, ideal\}$;
- $comp(F) = comp(G)$ implies $\theta(F) = \theta(G)$, for $\theta \in \{pref, ideal, ground\}$;
- no other such relation between the different semantics ($adm, pref, ideal, semi, ground, comp, stable$) in terms of standard equivalence holds.

Decision Problems on AFs

Credulous Acceptance

Cred_σ : Given AF $F = (A, R)$ and $a \in A$;
is a contained in **at least one** σ -extension of F ?

Skeptical Acceptance

Skept_σ : Given AF $F = (A, R)$ and $a \in A$;
is a contained in **every** σ -extension of F ?

If no extension exists then all arguments are skeptically accepted and no argument is credulously accepted.¹

¹This is only relevant for stable semantics.

Decision Problems on AFs

Hence we are also interested in the following problem:

Skeptically and Credulously Accepted

Skept'_{σ} : Given AF $F = (A, R)$ and $a \in A$;
is a contained in **every** and **at least one** σ -extension of F ?

Further Decision Problems

Verifying an extension

Ver_σ : Given AF $F = (A, R)$ and $S \subseteq A$;
is S a σ -extension of F ?

Does there exist an extension?

Exists_σ : Given AF $F = (A, R)$;
Does there exist a σ -extension for F ?

Does there exist a nonempty extensions?

$\text{Exists}_\sigma^{-\emptyset}$: Given AF $F = (A, R)$;
Does there exist a non-empty σ -extension for F ?

Conclusion

- Abstract argumentation frameworks are constructed from KBs.
- Edges (attacks) between nodes (arguments) express (directed) conflicts.
- A variety of semantics for AFs try to make sense of acceptability:
 - Complete
 - Grounded
 - Preferred
 - Stable
 - ...
- Various inclusion relationships between the semantics hold, as they build on similar notions.